

AFFORDABLE LUXURY WITH PRECISION ENGINEERING

WHY BUY A REDROOM RADIATOR?

- 5 year guarantee
- 2 year guarantee on electric radiators
- Steel made radiators
- Competitive prices
- Available in the most popular styles and sizes
- All outputs tested to European standard EN442
- High quality material and engineering
- All products are CE approved
- Dual Energy options

RANGE OVERVIEW

Redroom provide reliability and precision with every radiator. All Redroom radiators are manufactured in industry leading facilities using the highest quality materials and processes.







CE approved


















Redroom guarantees



YOUR RADIATOR

HEATING

CONTROLS



ELITE

ANTHRACITE / MATT BLACK

Code	Height (mm)	Width (mm)	Watts △T50	Dual Energy (optional)	BTU △T50	Price
ELT08004	800	400	283	200	966	£121.43
ELT08005	800	500	338	200	1153	£127.19
ELT08006	800	600	394	200	1344	£138.77
ELT12004	1200	400	402	300	1372	£165.72
ELT12005	1200	500	480	300	1638	£171.52
ELT12006	1200	600	557	400	1900	£181.14
ELT16005	1600	500	644	400	2197	£235.13
ELT16006	1600	600	755	500	2576	£244.98
ELT18005	1800	500	735	500	2508	£258.38
ELT18006	1800	600	854	600	2914	£268.46

Add colour code to the end of the code to specify colour: Anthracite 0346 | Matt Black 9205

| Pipe centres from wall: 75-85mm | Pipe centres: 400mm Wide: 356mm, 500mm Wide: 456mm, 600mm Wide: 556mm














ELITE ELECTRIC PX4 RATED



ADJUSTABLE THERMOSTAT CONTROLLER MATT BLACK

Code	Height (mm)	Width (mm)	Watts △T50	Price
ELTE08040MF9205	800	400	300	£326.34
ELTE12050MF9205	1200	500	750	£384.02
ELTE12060MF9205	1200	600	750	£394.62

For electric only. Not connected to hot water central heating systems.










OMNIA

WHITE

Code	Height (mm)	Width (mm)	Watts △T50	Dual Energy (optional)	BTU △T50	Price			
	OMNIA - Left Hand								
OML120050	1161	496	547	400	1867	£345.61			
OML120060	1161	596	628	400	2143	£368.23			
OML170050	1681	496	778	500	2655	£415.36			
OML170060	1681	596	894	600	3051	£449.87			
		1MO	NIA - Right H	land					
OMR120050	1161	496	547	400	1867	£345.61			
OMR120060	1161	596	628	400	2143	£368.23			
OMR170050	1681	496	778	500	2655	£415.36			
OMR170060	1681	596	894	600	3051	£449.87			
Ĩ→Î Pipe centres	from wall: 41	mm Pipe	centres: 50m	m					
















OMNIA

TITANE / QUARTZ BEIGE / ANTHRACITE / MATT BLACK

Code	Height (mm)	Width (mm)	Watts △T50	Dual Energy (optional)	BTU △T50	Price				
	OMNIA - Left Hand									
OML120050	1161	496	547	400	1867	£384.01				
OML120060	1161	596	628	400	2143	£409.15				
OML170050	1681	496	778	500	2655	£461.48				
OML170060	1681	596	894	600	3051	£499.85				
OMNIA - Right Hand										
OMR120050	1161	496	547	400	1867	£384.01				
OMR120060	1161	596	628	400	2143	£409.15				
OMR170050	1681	496	778	500	2655	£461.48				
OMR170060	1681	596	894	600	3051	£499.85				
Add colour code to the end of the code to specify colour: Titane 335 Quartz Beige 523 Anthracite 346 Matt Black 0557										



Right Hand












EXCELLENT STYLE AND

VALUE



TITANE / QUARTZ BEIGE / ANTHRACITE

Code	Height (mm)	Width (mm)	Watts △T50	Dual Energy (optional)	BTU △T50	Price
TT07005005	675	496	347	200	1183	£193.08
TT10005005	1035	496	518	300	1766	£228.43
TT14005005	1355	496	666	500	2271	£261.34
TT14006005	1355	596	786	500	2680	£285.96
TT16005005	1635	496	795	500	2710	£286.64
TT16006005	1635	596	938	600	3198	£316.66



Pipe centres from wall: 37mm | Pipe centres: 496mm Wide: 458mm, 596mm Wide: 558mm











TT LUX

MATT BLACK / QUARTZ WHITE

Code	Height (mm)	Width (mm)	Watts △T50	Dual Energy (optional)	BTU △T50	Price
TTL07005005	675	496	347	200	1184	£208.52
TTL10005005	1035	496	518	300	1767	£246.71
TTL14005005	1355	496	666	500	2272	£282.23
TTL14006005	1355	596	786	500	2682	£308.83
TTL16005005	1635	496	795	500	2713	£309.60
TTL16006005	1635	596	938	600	3200	£341.99

Add colour code to the end of the code to specifiy colour: Quartz White 521 | Matt Black 557

|---| Pipe centres from wall: 37mm | Pipe centres: 496mm Wide: 458mm, 596mm Wide: 558mm












BOLD STYLE, EXCEPTIONAL VALUE The IT Lux offers a bespoke feel to any bathroom





HAMMERED SILVER / GOLD LOOK

	Code	Height (mm)	Width (mm)	Watts △T50	Dual Energy (optional)	BTU △T50	Price
	TTL14005005	1355	496	666	500	2272	£282.23
	TTL16005005	1635	496	795	600	2713	£309.60
ı	<u> </u>						

Add colour code to the end of the code to specify colour: Hammered Silver 422 | Gold Look 514

Pipe centres from wall: 37mm | Pipe centres: 496mm Wide: 458mm
















TT LUX

PACIFIC BLUE / BLUSH PINK

Code	Height (mm)	Width (mm)	Watts △T50	Dual Energy (optional)	BTU △T50	Price		
TTL14005005	1355	496	666	500	2272	£282.23		
TTL16005005	1635	496	795	600	2713	£309.60		
Add colour code to the end of the code to specifiy colour: Pacific Blue 519 Blush Pink 168								

Add colour code to the end of the code to specify colour: Pacific Blue 519 | Blush Pink 168

|---| Pipe centres from wall: 37mm | Pipe centres: 496mm Wide: 458mm











AZOR

WHITE

Code	Height (mm)	Width (mm)	Watts △T50	Dual Energy (optional)	BTU △T50	Price
AZO08050	800	500	324	200	1105	£276.07
AZO120050	1200	500	476	300	1624	£353.83
AZO160050	1600	500	647	500	2208	£481.60

 $\parallel \rightarrow \parallel$ Pipe centres from wall: 65mm | Pipe centres: 468mm

CHROME

Code	Height (mm)	Width (mm)	Watts △T50	Dual Energy (optional)	BTU △T50	Price		
AZOC08050	800	500	203	100	689	£338.68		
AZOC120050	1200	500	302	150	1034	£443.29		
AZOC160050	1600	500	395	300	1344	£597.66		
Pipe centres from wall: 65mm Pipe centres: 468mm								













AZOR

ANTHRACITE / MATT BLACK

Pipe centres from wall: 65mm | Pipe centres: 468mm

Code	Height (mm)	Width (mm)	Watts △T50	Dual Energy (optional)	BTU △T50	Price		
AZO080050	800	500	324	200	1105	£283.90		
AZO120050	1200	500	476	300	1624	£373.56		
AZO160050	1600	500	647	500	2208	£512.99		
Add colour code to the end of the code to specify colour: Anthrosite 344 Matt Black 557								














BAXX


CHROME

Code	Height (mm)	Width (mm)	Watts △T50	Dual Energy (optional)	BTU △T50	Price
BAXC080050	800	500	197	100	672	£323.76
BAXC100050	1000	500	249	150	850	£378.53
BAXC120050	1200	500	301	200	1027	£438.30
BAXC140050	1400	500	346	200	1181	£512.99
BAXC160050	1600	500	391	200	1334	£587.68
 → Pipe centres	from wall: 65	-90mm Pi į	pe centres: 4	70mm		










BAXX

ANTHRACITE

Code	Height (mm)	Width (mm)	Watts △T50	Dual Energy (optional)	BTU △T50	Price
BAX080050346	800	500	306	200	1044	£289.15
BAX100050346	1000	500	384	200	1310	£343.54
BAX120050346	1200	500	461	300	1573	£399.86
BAX140050346	1400	500	537	300	1832	£475.96
BAX160050346	1600	500	612	400	2088	£535.33
iiii Pipe centres from wall: 65-90mm Pipe centres: 470mm						







SUPERNOVAR VERTICAL

WHITE

Code	Height (mm)	Width (mm)	Watts △T50	BTU △T50	Price
		Single Po	anel		
SNV180029	1800	296	568	1938	£344.00
SNV180044	1800	444	852	2907	£460.21
SNV180059	1800	592	1136	3876	£576.41
		Double P	anel		
SNVD180029	1800	296	836	2852	£556.51
SNVD180044	1800	444	1254	4279	£767.52
SNVD180059	1800	592	1672	5705	£978.49







592MM 24.5 width-49 24.5 444MM 24.5 width-49 24.5 296MM 24.5 w-49 24.5

SUPERNOVAR VERTICAL

ANTHRACITE / MATT BLACK

Code	Height (mm)	Width (mm)	Watts △T50	BTU ∆T50	Price	
Single Panel						
SNV1800290	1800	296	568	1938	£438.00	
SNV1800440	1800	444	852	2907	£585.00	
SNV1800590	1800	592	1136	3876	£732.00	
Double Panel						
SNVD1800290	1800	296	836	2852	£718.50	
SNVD1800440	1800	444	1254	4279	£991.50	
SNVD1800590	1800	592	1672	5705	£1,264.50	
Add colour code to the end of the code to specify colour: Anthracite 346 Matt Black 557						







SUPERNOVAR HORIZONTAL

WHITE

Code	Height (mm)	Width (mm)	Watts △T50	BTU △T50	Price
		Single Po	anel		
SNH059080	592	800	532	1815	£353.17
SNH059100	592	1000	665	2269	£392.92
SNH059120	592	1200	798	2723	£432.68
		Double P	anel		
SNHD059060	592	600	641	2187	£513.72
SNHD059080	592	800	855	2917	£580.98
SNHD059100	592	1000	1069	3647	£649.78
SNHD059120	592	1200	1283	4378	£718.57









ELAN STRAIGHT

CHROME

Code	Height (mm)	Width (mm)	Watts △T50	Dual Energy (optional)	BTU △T50	Price
ELNC060040	600	400	151	100	515	£180.85
ELNC060080	600	800	280	100	955	£290.93
ELNC060100	600	1000	345	100	1177	£311.38
ELNC080040	800	400	177	100	604	£157.67
ELNC080050	800	500	218	150	744	£166.07
ELNC080060	800	600	258	150	880	£176.60
ELNC100050	1000	500	287	150	979	£223.31
ELNC120040	1200	400	260	200	887	£227.05
ELNC120050	1200	500	315	200	1075	£235.44
ELNC120060	1200	600	370	300	1262	£245.95
ELNC160030	1600	300	300	200	1024	£273.64
ELNC160050	1600	500	427	300	1457	£336.38
ELNC160060	1600	600	506	300	1726	£344.81
ELNC180030	1800	300	320	200	1092	£301.94
ELNC180050	1800	500	484	300	1651	£374.21
ELNC180060	1800	600	574	400	1958	£384.72
ELNC180075	1800	750	741	400	2527	£413.59

Ĭ→ Pipe centres from wall: 75-85mm | Pipe centres: 400mm Wide: 356mm / 500mm Wide: 456mm / 600mm Wide: 556mm













ELAN STRAIGHT

WHITE

Code	Height (mm)	Width (mm)	Watts △T50	Dual Energy (optional)	BTU △T50	Price
ELN080040	800	400	283	200	966	£132.44
ELN080050	800	500	338	200	1153	£138.77
ELN080060	800	600	394	200	1344	£151.38
ELN120040	1200	400	402	300	1372	£180.77
ELN120050	1200	500	480	300	1638	£187.12
ELN120060	1200	600	557	400	1900	£197.62
ELN160050	1600	500	644	400	2197	£256.50
ELN160060	1600	600	755	500	2576	£267.24
ELN180050	1800	500	735	500	2508	£281.88
ELN180060	1800	600	854	600	2914	£292.88

Pipe centres from wall: 75-85mm | Pipe centres: 400mm Wide: 356mm / 500mm Wide: 456mm / 600mm Wide: 556mm











ELAN CURVED

WHITE

Code	Height (mm)	Width (mm)	Watts △T50	Dual Energy (optional)	BTU △T50	Price
ELNT080050	800	500	338	200	1153	£147.16
ELNT080060	800	600	394	200	1344	£157.67
ELNT120050	1200	500	490	300	1672	£195.50
ELNT120060	1200	600	557	400	1900	£206.04
ELNT180050	1800	500	725	500	2474	£290.11
ELNT180060	1800	600	854	600	2914	£300.65
 → Pipe centres	from wall: 60	-75mm Pi j	pe centres: 5	00mm Wide: 456m	m / 600mm V	Wide: 556mm

CHROME

Code	Height (mm)	Width (mm)	Watts △T50	Dual Energy (optional)	BTU △T50	Price
ELNTC080050	800	500	218	150	744	£172.38
ELNTC080060	800	600	258	150	880	£182.89
ELNTC120050	1200	500	315	200	1075	£241.78
ELNTC120060	1200	600	370	200	1262	£252.26
ELNTC180050	1800	500	484	300	1651	£380.53
ELNTC180060	1800	600	574	400	1958	£393.11
 → Pipe centres	from wall: 60	-75mm Pi į	pe centres: 5	00mm Wide: 456m	m / 600mm V	Vide: 556mm













ELAN ELECTRIC PX4 RATED



ADJUSTABLE THERMOSTAT CONTROLLER CHROME

Code	Height (mm)	Width (mm)	Watts ∆T50	Price
ELNEC12050MF	1200	500	300	£580.27
ELNEC12060MF	1200	600	400	£596.00

For electric only. Not connected to hot water central heating systems.










ELAN ELECTRIC

SIMPLE IMMERSION HEATER CHROME

Code	Height (mm)	Width (mm)	Watts △T50	Price
ELNEC08040F	821	400	150	£416.12
ELNEC09050F	941	500	200	£425.75
ELNEC12050F	1261	500	200	£500.90
ELNEC12060F	1261	600	300	£506.71
ELNEC18050F	1901	500	400	£624.19
ELNEC18060F	1901	600	500	£632.80







Handy Magnetic Towel Rail

HDY1C 380mm (Overall length 440mm) Chrome £119.81

Max weight capacity 5KG



Hooky Towel Hook

HOO3C Suitable for Elite & Elan Chrome


£16.22



Hangy Magnetic Towel Hook HAG2C Chrome £36.19 Max weight capacity 3KG



Hangy Clamp Fixing Towel Hook HAG1C Chrome £13.73



MANUAL RADIATOR VALVES 15MM



RRV1C Chrome



Angled Round Valve Pack Straight Round Valve Pack **£28.56** RRV2C Chrome £28.56



Corner Round Valve Pack RRV3C Chrome £49.32



Chrome





Angled Round Valve Pack Straight Round Valve Pack Corner Round Valve Pack RRV1A Anthracite £31.15 RRV2A Anthracite £31.15 RRV3A Anthracite £51.91





Anthracite



Angled Round Valve Pack Straight Round Valve Pack RRV1B Black



£31.15 RRV2B Black



Corner Round Valve Pack £31.15 RRV3B Black £51.91





RRV1V Volcanic



Angled Round Valve Pack Straight Round Valve Pack £31.15 RRV2V Volcanic



Corner Round Valve Pack £31.15 RRV3V Volcanic



Volcanic



Angled Round Valve Pack Straight Round Valve Pack Corner Round Valve Pack RRV1W White



£31.15 RRV2W White



£31.15 RRV3W White



White



Angled Round Valve Pack Straight Round Valve Pack Corner Round Valve Pack



RRV1BB Brushed Brass £31.15 RRV2BB Brushed Brass £31.15 RRV3BB Brushed Brass £51.91





Brushed Brass





Angled Round Valve Pack Straight Round Valve Pack



Corner Round Valve Pack RRV1N Brushed Nickel £43.04 RRV2N Brushed Nickel £43.04 RRV3N Brushed Nickel £60.52



Brushed Nickel Colour keys are for guidance only and are not representative of the actual colour.

SQUARE MANUAL RADIATOR VALVES 15MM



Angled Square Valve Pack Straight Square Valve Pack Corner Square Valve Pack RRV4C Chrome



£50.62 RRV5C Chrome



£50.62 RRV6C Chrome

TRADITIONAL THERMOSTATIC

RADIATOR VALVES 15MM

SQUARE VALVES LOOK **GREAT WITH** BAXX AND SUPERNOVAR

CLASSIC THERMOSTATIC **RADIATOR VALVES 15MM**



Classic Angled Thermostatic Valve Pack



Classic Angled Thermostatic Valve Pack



Classic Angled Thermostatic Valve Pack RRCLV1AB Antique Brass £98.58



Classic Angled Thermostatic Valve Pack RRCLV1C Copper £108.56





RRT1C Chrome £102.95 RRT1N

Traditional Straight Thermostatic Valve Pack

Traditional Straight

Thermostatic Valve Pack



Traditional Straight

Thermostatic Valve Pack

Nickel

£102.95

Thermostatic Valve Pack RRT1B Antique Brass £102.95 RRT1CO Copper £109.19



Traditional Straight Thermostatic Valve Pack

Brushed **£102.95** Brass

THERMOSTATIC RADIATOR VALVES 15MM

£72.68



Angled Thermostatic Valve Pack RRV7C Chrome



Straight Thermostatic Valve Pack RRV8C Chrome £72.68



Corner Thermostatic Valve Pack RRV9C Chrome



£72.68



Straight Thermostatic Valve Pack Valve Pack £75.28 RRV8B Black



Corner Thermostatic £75.28 RRV9B Black



£77.88

£77.88



Angled Thermostatic

Valve Pack

RRV7B Black

Angled Thermostatic Valve Pack RRV7V Volcanic £75.28



Straight Thermostatic Valve Pack RRV8V Volcanic



Corner Thermostatic Valve Pack £77.88 RRV9V Volcanic



Volcanic



£75.28

Angled Thermostatic Valve Pack RRV7W White



Straight Thermostatic Valve Pack

RRV8W White



Corner Thermostatic Valve Pack £77.88 RRV9W White £77.88



White



Angled Thermostatic Valve Pack RRV7BB Brushed Brass £75.28



Straight Thermostatic Valve Pack



Corner Thermostatic Valve Pack RRV8BB Brushed Brass £77.88 RRV9BB Brushed Brass £77.88





Thermostatic Valve Pack

Brass

RRCLV1BB Brushed £108.56

Classic Analed



300mm 15mm Pipe and Rosettes Chrome



RRP1BB Brushed Brass £36.00

Pipe and Rosettes

RRP1B Black





£24.34



Angled Thermostatic Valve Pack RRV7N Nickel



Straight Thermostatic Valve Pack £80.48 RRV8N Nickel



Corner Thermostatic Valve Pack £80.48 RRV9N Nickel £77.88



Colour keys are for guidance only and are not representative of the actual colour.

DUAL ENERGY PACKS **

Do you still want to warm your towels even when the central heating is turned off?

You can add one of these great dual energy packs to your radiator to allow you to control it electrically when the central heating is off.

Code		Price	
DEPACK100	100W	Element length 300mm	£196.80
DEPACK150	150W	Element length 300mm	£196.80
DEPACK200	200W	Element length 340mm	£196.80
DEPACK300	300W	Element length 400mm	£196.80
DEPACK400	400W	Element length 500mm	£196.80
DEPACK500	500W	Element length 580mm	£196.80
DEPACK600	600W	Element length 650mm	£196.80



THE DEPACK
IS BARELY
VISIBLE
WHEN FITTED

All Redroom radiators have the CE mark, having been independently tested in accredited laboratories to EN442 in accordance with CE requirements. This means our published heat output figures are fully in line with the testing criteria. You can therefore specify the size of your radiator with the assurance that your choice will perform as stated, making Redroom radiators the obvious choice.

HOW TO SPECIFY YOUR RADIATOR



STEP 1



STEP 2



STEP 3

retailer or heating

engineer.



P 3 SECONDARY
HEAT SOURCE

Browse through this catalogue and choose the perfect radiator for your dream bathroom. For more information speak to your local

Does your radiator meet the room's heat requirement?

Depending on the size of your bathroom and the of radiator your perfect to the perfect to the

of your bathroom and type of radiator you want, you may need a secondary heat source.

If necessary you can add an extra radiator or underfloor heating to make sure your room is sufficiently heated.

HOW?

- Turn off connection to central heating, so the water within the radiator is isolated
- Switch on Depack, so your radiator will be heated electrically
- 3. Enjoy warm towels all year long even when the central heating is off

To start with, you need to find out the heat requirement of the room in Watts. To calculate this as a rough guide, allow 50 watts per cubic metre of the room. You should also consult with a heating engineer for the exact requirement. To change the watts into BTUs, multiply the

watt amount by 3.412.

Choose the location of the radiator and figure out any restrictions that could occur, for example height if the radiator is going to be fitted under a window.




UNDERFLOOR HEATING

Add luxurious comfort to your home with Redroom underfloor heating. Perfect for heating all areas of your house, but particularly suited to kitchens and bathrooms.

All mats are installed with a choice of three stylish digital thermostats that have energy saving functions to help reduce heating costs.

Available in a range of sizes, the self-adhesive mesh can easily and quickly be fitted directly onto concrete or insulation boards to provide an even spread of heat.







Underfloor heating provides the ultimate comfort with heat rising up from the floor where you need it the most







100W UNDERFLOOR HEATING MATS 150W UNDERFLOOR HEATING MATS

Code	Description	Price
UHF1	1.0m ² 100W	£90.31
UHF15	1.5m ² 150W	£98.21
UHF2	2.0m ² 200W	£116.46
UHF25	2.5m ² 250W	£138.67
UHF3	3.0m ² 300W	£174.68
UHF35	3.5m ² 350W	£187.70
UHF4	4.0m ² 400W	£211.45
UHF5	5.0m ² 500W	£264.34
UHF6	6.0m ² 600W	£317.21
UHF7	7.0m ² 700W	£370.06
UHF8	8.0m ² 800W	£422.94
UHF9	9.0m ² 900W	£448.07
UHF10	10m² 1000W	£489.40
UHF12	12m² 1200W	£553.72

Suitable to go directly onto a prepared wooden floor. IPX7, 230V, cable thickness 4mm, 500mm width. Each installation requires a thermostat controller.

Code	Description	Price
HHF1	1.0m ² 150W	£92.89
HHF15	1.5m ² 225W	£101.00
HHF2	2.0m ² 300W	£125.77
HHF25	2.5m ² 375W	£149.78
HHF3	3.0m ² 450W	£188.68
HHF35	3.5m ² 525W	£202.74
HHF4	4.0m ² 600W	£228.41
HHF5	5.0m ² 750W	£285.49
HHF6	6.0m ² 900W	£342.58
HHF7	7.0m² 1050W	£399.68
HHF8	8.0m ² 1200W	£456.83
HHF9	9.0m² 1350W	£506.41
HHF10	10m² 1500W	£562.68
HHF12	12m² 1800W	£639.88

Suitable to go directly onto a concrete subfloor or timber subfloor covered with insulation boards. IPX7, 230V, cable thickness 4mm, 500mm width. Each installation requires a thermostat controller.

HEATING MATS FEATURES AND BENEFITS

- Suitable for tiles, laminate and wood floors
- · Energy efficient
- Produces around 80% less dust
- Self-adhesive
- Saves on space and no exposed pipes
- Quick and easy to install
- Suitable for small and large areas
- 12 year guarantee on mats

EACH UNDERFLOOR
HEATING
INSTALLATION
REQUIRES A
THERMOSTAT
CONTROLLER


Turn to page 56 to choose yours





AS EASY AS 1,2,3

Combining underfloor heating and antifracture mat, this brilliant new product from Redroom could save you significant money and time in fitting. It really is as easy as 1,2,3.







Time saving is a key benefit with this product, but what's more, the membrane offers a high level of protection against accidental damage plus it gives the installer a template for very accurate and consistent spacing. If you use underfloor heating, this is the product you need in your life.

DECOUPLING MEMBRANE ROLLS

Code	Description	Price
UFMEM1	5m² Membrane Roll	£152.29
UFMEM2	15m² Membrane Roll	£456.86

Polypropylene membrane with rounded square shaped studs that form channels specifically designed to embed and fasten electric heating cables. Suitable to go directly onto a concrete subfloor or timber covering insulating boards.



HEATING CABLE FOR MEMBRANE

Code	Description	Price	
UFW1	10m Cable	£149.78	
UFW2	20m Cable	£163.79	
UFW3	28m Cable	£194.81	
UFW4	41 m Cable	£240.53	
UFW5	50m Cable	£293.50	
UFW6	57m Cable	£348.42	
UFW7	70m Cable	£354.89	
UFW8	81m Cable	£380.51	
UFW9	90m Cable	£427.61	
UFW10	100m Cable	£441.32	
UFW11	129m Cable	£504.00	
UFW12	142m Cable	£512.98	
UFW13	165m Cable	£576.88	

IPX7, 230V, cable thickness 4mm. Cold tail length 2.3m. 12 year guarantee. Each installation requires a thermostat controller.

Primary Heat = $150W/m^2$ at 2 studs apart Secondary Heat = $100W/m^2$ at 3 studs apart

0.5m² area needs 10m linear cable.



TOUCH THERMOSTAT CONTROL



- Sleek design LED display with air and floor sensor

TOUCH+ THERMOSTAT

08:00 Monday N/ B/ D

Auto Mode: Eyent Water 0 5 0 4 7

- 7 day, 6 period programme
- Frost protection
- Screen lock

Code	Price
HFT1	£120.92

Code	Price	
HFT4	£173.48	

CONTROL

	WIFI ENABLED
20.0	1
20.0	

WIFI ENABLED	THERMOSTAT	CONTROL


- Large LED backlit display with air and floor sensor
 7 day, 6 period programme
 WiFi enabled
 Frost protection


floor sensor

Screen lockControlled via App

Colour	Code	Price	
White	HFT5W	£224.09	
Black	HFT5B	£224.09	

	Technical Data
Supply Voltage	220-240V ~
Power Output	100W/m ² @230V ~ / 150W/m ² @230V ~
Width	500mm
Construction	Round, twin conductor with 360° screen, one cold tail
Max Ambient Temp	65°C
Cable Thickness	4mm
Deformation Strength	600N
Pulling Strength	120N
Conductor Insulation	FEP
Outer Sheath	PVC
Screen	100% coverage, alu-foil, 0.5mm² tinned copper drain wire
Cold Lead	4m DTWB, 2x1.0mm ² earthed
Min Installation Temp	-5°C
Bending Radius	6 x Ø
IP Class	IPX7





A A	A I	v	2	n	2	А
IV	I A	T.		u		4

Your Local Supplier



www.redroomheating.co.uk

Distributed by Barwick Bathroom Distribution LLPWe reserve the right to alter or amend product details without prior notice.
All dimensions are nominal. Errors and omissions excepted. All prices are inclusive of VAT at 20%